

**FIFRA Section 24(c) Special Local Need Label  
FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF OREGON**

**Slugger ULTRA 4.0 Slug & Snail Bait**

EPA Reg. No. 71096-13  
EPA SLN No. OR-140004

**For the Control of Slugs and Snails in Clover Grown for Seed and  
Certain Small Seeded Vegetable Seed Crops**

This label is valid until December 31, 2023, or until otherwise amended, withdrawn, cancelled or suspended.

Active Ingredient:

Metaldehyde .....	4.00%
Other Ingredients.....	96.00%
Total.....	100.00%

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to mollusks (e.g., clams, oysters, scallops, mussels). Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment washwaters or rinsate. This pesticide is toxic to birds and mammals. Granules on soil surface may be hazardous to terrestrial wildlife. Cover or collect any such materials spilled during loading.

**DIRECTIONS FOR USE**

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This Special Local Need (SLN) label and the federal label for this product must be in the possession of the user at the time of pesticide application.
- Follow all applicable directions, restrictions, and precautions on the Slugger ULTRA 4.0 Slug & Snail Bait container label, EPA Reg. No. 71096-13, and this SLN label.

Apply Slugger ULTRA 4.0 Slug & Snail Bait to the crops grown for seed listed on this label, either broadcast, or at planting using in-furrow (seed drill) application equipment. Apply 5 – 20 lb. per acre every 14 to 21 days. A maximum of four (4) applications may be made per growing season.

Slugger ULTRA 4.0 Slug & Snail Bait should not be applied to dry soil. Applications should be made following an irrigation for best results. DO NOT re-water for 48 hours after application. Bait may be applied during any time of the day, but evening applications are preferred.

OR-CAL, Inc.

**FOR USE ONLY AS AN AGRICULTURAL MOLLUSCID**

<b>Crops grown for seed</b>	<b>Application rate (lb/acre)</b>	<b>Maximum applications per growing season</b>	<b>Retreatment interval (days)</b>
Clover	5 – 20	4	14 – 21
<i>Alliums</i> pp. (leek, bunching and dry bulb onions)	5 – 20	4	14 – 21
Arugula	5 – 20	4	14 – 21
Beet (garden and/or sugar)	5 – 20	4	14 – 21
Crucifers ( <i>Brassica</i> and <i>Raphanus</i> spp.) including Broccoli, Brussels sprouts, Cabbage, Cauliflower, Chinese cabbage, Chinese mustard, Collard, Kale, Kohlrabi, Rutabaga, Turnip, Mustard, Radish, Mustard spinach	5 – 20	4	14 – 21
Dill	5 – 20	4	14 – 21
Endive	5 – 20	4	14 – 21
Lettuce	5 – 20	4	14 – 21
Parsley	5 – 20	4	14 – 21
Parsnip	5 – 20	4	14 – 21
Spinach	5 – 20	4	14 – 21
Swiss chard	5 – 20	4	14 – 21
Vetch	5 – 20	4	14 – 21

**SPECIAL CROP USE RESTRICTIONS**

The pesticide applicator, the producer of the crop, and the seed conditioner must be aware that use of this product according to this labeling is deemed a nonfeed/non-food use by the Oregon Department of Agriculture, and is regulated by Oregon Administrative Rule (OAR) 603-057-0535, Pesticide Use on Crops Grown for Seed. If the applicator of this pesticide is not the producer, the applicator must provide a copy of this labeling to the producer of the crop. Producers of this crop who use this product, or cause the product to be used on a field they operate, must provide a copy of this pesticide label to the seed conditioner.

This pesticide does not have an established pesticide residue tolerance for this crop. Consequently, no portion of this seed may be used or distributed for food or feed for 1 year (365 days) after the last application of this product. This restriction pertains to, but is not limited to, green chop, forage, hay, pellets, meal, whole seed, cracked seed, straw, roots, bulbs, foliage or seed screenings, and to the grazing of the crop field, stubble or regrowth. All seed screenings shall be disposed of in such a manner that the screenings cannot be distributed or used for food or feed purposes, as indicated in OAR 603-057-0535. Additional regulations concerning seed screenings are stated in OAR 603-057-0535.

Any seed from a field treated with this pesticide product shall bear specific and conspicuous container labeling, or if shipped bulk, on the shipment invoice or bill of lading. The labeling shall contain the following statement:

“This seed was produced using one or more products for which the United States Environmental Protection Agency has not established pesticide residue tolerances. This seed, in whole, as sprouts, or in any form may not be used for human consumption or animal feed. Failure to comply with the condition may violate requirements of the Federal Food and Drug Administration, the Oregon Department of Agriculture and other regulatory agencies.”

**24(c) Registrant:**  
OR-CAL, Inc.  
29454 Meadowview Road  
Junction City, OR 97448  
541-689-4413  
[www.orcalinc.com](http://www.orcalinc.com)

October 17, 2018